

- Chandler, P. J. & Stubbs, A. E. (1969). A species of *Norellia* R.-D. (Dipt., Scatophagidae) new to Britain, *Proc. Brit. Ent. Nat. Hist. Soc.*, **2** (4): 120-124.
- Matile, L. (1967). Note sur les Mycetophilidae de la region pyreneenne et description de quatre especes nouvelles, *Bull. Soc. Ent. France*, **72**: 121-217.
- Oldroyd, H. (1969). Diptera Brachycera Section (a) Tabanoidea and Asiloidea, *Handbk. Ident. Brit. Ins., Roy. Ent. Soc. Lond.*, IX (4): 1-132.
- Pedersen, E. Torp. (1972). De danske arter af slægten *Paragus* Latreille (Diptera, Syrphidae), *Saertryk af "Flora og Fauna"*, **78**: 1-6
- Seguy, E. (1927). Dipteres Brachyceres (Asilidae), *Faune de France*, **17**: 1-190.
- Verrall, G. H. (1901). Platypezidae, Pipunculidae and Syrphidae of Great Britain, *British Flies*, VIII: 1-691. London.

*Plemyria rubiginata* (Denis & Schiffermüller)  
ab. *egregia* ab. nov

By G. H. MARILLIER

This aberration is characterized by the dark medial area of the forewing being broadened at the posterior margin reducing the area of white distad of the basal area, as illustrated.



Holotype ♂. Scotland: Aberdeen, Aug. 1925 (G. H. Marillier) in R. C. K. collection, British Museum (Natural History).

I would like to thank Mr D. S. Fletcher for having arranged for the photograph to be taken and for helping me with the description.